

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	6795	709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:04
L5	1	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and 709/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:04
L6	2904	709/226.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:04
L7	2	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and 709/226.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:05
L8	5	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and "703"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:05
L9	484	(@ad<"20030916" or @rlad<"20030916") and genetic and "703"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/19 11:05
S1	3342	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and adapt\$6 and workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:14

## EAST Search History

S2	5	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 adapt\$6 near15 workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:13
S3	1	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 adapt\$6 near15 workload\$1 and genetic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:13
S4	210	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and adapt\$6 and workload\$1 and genetic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:19
S5	43	(@ad<"20030916" or @rlad<"20030916") and workload\$1 and genetic\$4 and crossover	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:32
S6	44	(@ad<"20030916" or @rlad<"20030916") and workload\$1 and genetic\$4 and crossover\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:32
S7	36	(@ad<"20030916" or @rlad<"20030916") and workload\$1 and genetic\$4 and crossover\$4 and mutat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:37
S8	3833	(@ad<"20030916" or @rlad<"20030916") and genetic\$4 and crossover\$4 and mutat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:37

## EAST Search History

S9	129	(@ad<"20030916" or @rlad<"20030916") and genetic\$4 and crossover\$4 near15 (parameter\$1 or configuration\$4) and mutat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:38
S10	98	(@ad<"20030916" or @rlad<"20030916") and genetic\$4 and crossover\$4 near15 (parameter\$1 or configuration\$4) and mutat\$5 near15 (parameter\$1 or configuration\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:38
S11	67	(@ad<"20030916" or @rlad<"20030916") and genetic\$4 and crossover\$4 near15 (parameter\$1 or configuration\$4) and mutat\$5 near15 (parameter\$1 or configuration\$4) and optimiz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:38
S12	328	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 and adapt\$6 and workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:20
S13	29	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 and adapt\$6 and workload\$1 and genetic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:26
S14	328	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 and adapt\$6 and workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:26
S15	1	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 near15 cluster\$1 and adapt\$6 and workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:27

## EAST Search History

S16	5	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 near15 node\$1 and adapt\$6 and workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:27
S17	44	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and adapt\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:34
S18	0	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and ("6078943" or "6351775").ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:32
S19	0	(@ad<"20030916" or @rlad<"20030916") and ("6078943" or "6351775").ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:32
S20	107	(@ad<"20030916" or @rlad<"20030916") and ("6078943" or "6351775").ccls"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:32
S21	0	("6078943" or "6351775").ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:32
S22	108	("6078943" or "6351775").ccls"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:32

## EAST Search History

S23	0	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and ("6078943" or "6351775").ccls"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:32
S24	0	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and ("6078943" or "6351775").ccls"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:32
S25	0	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and ("6078943" or "6351775").ccls"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:33
S26	107	(@ad<"20030916" or @rlad<"20030916") and ("6078943" or "6351775").ccls"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:33
S27	2	(@ad<"20030916" or @rlad<"20030916") and "20020133681"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:33
S28	43	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and adapt\$6 and performance\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:34
S29	307	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 and workload\$1 and adapt\$6 and performance\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:34

## EAST Search History

S30	43	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and adapt\$6 and performance\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:37
S31	57	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 configuration\$1 same workload\$1 and performance\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:38
S32	19	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 (configuration\$1 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 17:40
S33	138	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 near15 (configuration\$1 or performance\$1) near15 (node\$1 or computer\$1) and workload\$1 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:05
S34	612	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:06
S35	341	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1 and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:06
S36	293	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1 and optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:07

## EAST Search History

S37	53	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1.ab. and optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:08
S38	39	(@ad<"20030916" or @rlad<"20030916") and dynamic\$5 same (configuration\$1 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1.ab. and optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:53
S39	41	(@ad<"20030916" or @rlad<"20030916") and dynamic\$5 same (reconfigur\$6 or configur\$6 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1.ab. and optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:54
S40	41	(@ad<"20030916" or @rlad<"20030916") and dynamic\$5 same (re\$configur\$6 or reconfigur\$6 or configur\$6 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1.ab. and optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:54
S41	0	(@ad<"20030916" or @rlad<"20030916") and dynamic\$5 same (re\$configur\$6 or reconfigur\$6 or configur\$6 or performance\$1) near15 (node\$1 or computer\$1) same workload\$1.ab. and optimiz\$6 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:54
S42	37	(@ad<"20030916" or @rlad<"20030916") and (re\$configur\$6 or reconfigur\$6) near15 (node\$1 or computer\$1) same workload\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:55
S43	37	(@ad<"20030916" or @rlad<"20030916") and (re\$configur\$6 or reconfigur\$6) near15 (node\$1 or computer\$1) same workload\$1 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:59

## EAST Search History

S44	1071	(@ad<"20030916" or @rlad<"20030916") and (re\$configur\$6 or reconfigur\$6 or configur\$6) near15 workload\$1 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:59
S45	519	(@ad<"20030916" or @rlad<"20030916") and (re\$configur\$6 or reconfigur\$6 or configur\$6) near15 workload\$1 and optimi\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 18:59
S46	42147	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:36
S47	10391	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:36
S48	2675	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and (reconfigur\$6 or re\$configur\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:37
S49	2389	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and (reconfigur\$6 or re\$configur\$6) and performance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:37
S50	309	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and (reconfigur\$6 or re\$configur\$6) and (process\$4 or algorith\$4) near15 generat\$4 near15 (configuration\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:42



## EAST Search History

S51	8	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and (reconfigur\$6 or re\$configur\$6) and (process\$4 or algorith\$4) near15 generat\$4 near15 (configuration\$1 or parameter\$1) and genetic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:39
S52	20	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and (reconfigur\$6 or re\$configur\$6) and genetic near5 (process\$4 or algorith\$4) near15 (configuration\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:42
S53	10	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and (reconfigur\$6 or re\$configur\$6) and genetic near5 (process\$4 or algorith\$4) near15 (configuration\$1 or parameter\$1) and database\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:54
S54	0	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and (reconfigur\$6 or re\$configur\$6) and genetic near5 (process\$4 or algorith\$4) near15 generation near10 (configuration\$1 or parameter\$1) and database\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:50
S55	0	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and database\$4 near15 (configuration\$1 or parameter\$1) same (traffic or demand\$4 or workload\$1 or load\$4) and node\$1 and genetic near5 (process\$4 or algorith\$4) near15 generation near10 (configuration\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:52

## EAST Search History

S56	6	(@ad<"20030916" or @rlad<"20030916") and optimiz\$6 and (configuration\$1 or parameter\$1) same (traffic or demand\$4 or workload\$1 or load\$4) and node\$1 and genetic near5 (process\$4 or algorithm\$4) near15 generation near10 (configuration\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:52
S57	6	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 same (reconfigur\$6 or re\$configur\$6) and genetic near5 (process\$4 or algorithm\$4) near15 (configuration\$1 or parameter\$1) and database\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 10:55
S58	24	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and genetic near5 (process\$4 or algorithm\$4) near15 (configuration\$1 or parameter\$1) and database\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 11:12
S59	41	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and genetic near5 (process\$4 or algorithm\$4) near15 (configuration\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 11:12
S60	17	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or parameter\$1) same (workload\$1 or load\$4) and node\$1 and genetic near5 (process\$4 or algorithm\$4) near15 (configuration\$1 or parameter\$1) not S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 11:13
S61	10	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or parameter\$1) same (traffic\$1 or demand\$1 or workload\$1 or load\$4) and node\$1 and genetic near5 (process\$4 or algorithm\$4) near15 generat\$4 near15 (configuration\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 11:14

## EAST Search History

S62	31	(@ad<"20030916" or @rlad<"20030916") and (configuration\$1 or parameter\$1) same (traffic\$1 or demand\$1 or workload\$1 or load\$4) and node\$1 and genetic near5 (process\$4 or algorithm\$4) near15 (generat\$4 or optim\$6) near15 (configuration\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 11:16
S63	343	(@ad<"20030916" or @rlad<"20030916") and genetic near5 (process\$4 or algorithm\$4) near15 (generat\$4 or optim\$6) near15 (configuration\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 11:16
S64	114	(@ad<"20030916" or @rlad<"20030916") and genetic near5 (process\$4 or algorithm\$4) near15 (generat\$4 or optim\$6) near15 (configuration\$1 or parameter\$1) and (workload\$1 or traffic\$1 or load\$1 or demand\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 11:17
S65	15	(@ad<"20030916" or @rlad<"20030916") and genetic near5 (process\$4 or algorithm\$4) near15 (generat\$4 or optim\$6) near15 (configuration\$1 or parameter\$1) same (workload\$1 or traffic\$1 or load\$1 or demand\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 11:18
S66	114	(@ad<"20030916" or @rlad<"20030916") and genetic near5 (process\$4 or algorithm\$4) near15 (generat\$4 or optim\$6) near15 (configuration\$1 or parameter\$1) and (workload\$1 or traffic\$1 or load\$1 or demand\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 13:31
S67	0	(@ad<"20030916" or @rlad<"20030916") and "2002013929" and genetic near5 (process\$4 or algorithm\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/17 13:31
S68	1	(@ad<"20030916" or @rlad<"20030916") and "20020143929" and genetic near5 (process\$4 or algorithm\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/18 12:17

## EAST Search History

S69	1	(@ad<"20030916" or @rlad<"20030916") and "5390283". pn. and genetic\$4 and crossover\$4 and muta\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/18 12:19
S70	0	(@ad<"20030916" or @rlad<"20030916") and "5390283". pn. and genetic\$4 and crossover\$4 same muta\$5 same configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/18 12:19
S71	1	(@ad<"20030916" or @rlad<"20030916") and "5390283". pn. and genetic\$4 and crossover\$4 same muta\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/18 12:19
S72	1619	(@ad<"20030916" or @rlad<"20030916") and genetic\$4 and crossover\$4 same muta\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/18 12:20
S73	41	(@ad<"20030916" or @rlad<"20030916") and genetic\$4 and crossover\$4 same muta\$5 and generation\$1 near15 configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/18 14:57
S74	15	(@ad<"20030916" or @rlad<"20030916") and genetic\$4 and crossover\$4 same muta\$5 and generation\$1 near15 configuration\$1 and baseline\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/18 12:26
S75	1	(@ad<"20030916" or @rlad<"20030916") and "6272543". pn. and random\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/18 14:57